

MAKE IT HAPPENTM



High Quality Products

Superior Tool® has been manufacturing and selling plumbing tools in the U.S. for over 70 years. During that time we've developed numerous patented products specifically tailored for professional plumbers and DIY enthusiasts. Our passion for the industry and serving the people who make their living with their hands is evident.

Superior Tool pipe working and plumbing tools are engineered and manufactured from the highest quality materials to meet or exceed all industry standards. Our innovative products save time and eliminate problems, making every piping and plumbing job easier.

Made to Last a Lifetime

Very simply, we build Superior Tools to last. Each product is covered by our "Lifetime Guarantee." You can rest assured you are getting an industrial quality product.

Fast, Accurate, Easy

We thank you for allowing us to become your trusted source for pipe working and plumbing tools. Our promise to you is "No Barriers To Buy®." Our goal is "Make it Happen™" with exceptional products and outstanding customer service.

Total Support and Expertise

Call us toll free from anywhere in the U.S. or Canada, Monday - Friday, 8:00 am - 5:00 pm CST.

Since Superior Tool is a brand of C.H. Hanson[®], all support is handled by qualified C.H. Hanson sales representatives. Invoicing, emails and communications are also from C.H. Hanson.

Visit us at: superiortool.com for a full listing of all our products and to see new introductions. You can also spread the word about Superior Tool by connecting with us on social media.

P: 630.848.2000

P: 800.827.3398 (Toll Free in U.S. or Canada)

F: 800.827.5834

sales@chhanson.com

Superior Tool Company 2000 N. Aurora Road, Naperville, IL 60563

Superior Tool is a member of C.H. Hanson's family of exceptional brands.














MAKE IT HAPPEN™



TABLE OF CONTENTS

Basin Wrenches	
Basin Buddy™ Universal Faucet Nut Wrench	19-20
11" Basin Wrench	20
17" Telescopic Basin Wrench	20
Faucet Handle / Sleeve Pullers	
Compression Sleeve Puller	18
Plumber's Handle / Sleeve Puller Kit	18
Pro Plumber's Handle / Sleeve Puller Kit	17-18
Pliers	
Adjustable Soft Jaw Plumbing Pliers	16
Soft Jaw Plumbing Pliers	
Pipe Tools	
2" Heavy-Duty Pipe Cutter	7, 15
2-1/8" Tubing / Pipe Cutter	
Heavy-Duty Straight Aluminum Pipe Wrenches	14
Heavy-Duty Straight Cast-Iron Pipe Wrenches	14
Internal Pipe Wrenches	16
2" Bench Yoke Vise	15
Pipe Tools / PVC and PEX	
PEX Pocket Crimper	13
1-1/4" Internal PVC Pipe Cutter	13
1" Ratcheting PVC Cutter	11
2" Ratcheting PVC Pipe Cutter	11
Soft Grip Ratcheting PVC Cutters	
PVC Cable Saw	
Mini Hacksaw	
PVC Plumber's Saw	
Flexible Tube Cutter	13
Replacement Parts	
Deburring Tool Blades	
Flexible Tube Cutter Blade	
Internal PVC Pipe Cutter Blade	
Mini Hacksaw Blades	
PVC Plumber's Saw Blade	
PVC Cutter Blades	
Tubing / Pipe Cutter Wheels	32-33
Resources	
Part Number Index	
Plumbing Terms	
Limited Lifetime Warranty	



Sink Drain, Shower, Supply Line and Tub Wrenches	
Adjustable Combination Wrench	21
Plumber's Pal™ Professional Drain Wrench	
DrainKey™	24
6-Step Faucet Seat Wrench	22
2-Piece Stepped and Tapered Faucet Seat Wrench Set	22
Tapered Faucet Seat Wrench	
1/2" Nipple Extractor and Shower Arm Thread Remover	
PopOut Plug Wrench	
SinkDrain™ Wrench	
Basket Strainer Wrench	
TightSpot™ Wrench	
6-Piece Tub and Shower Valve Wrench Set	
Tub Drain Extractor™ Tub Drain Wrench / Dumbell Wrench	
	25
Specialty Plumbing Tools and Accessories	
5-Piece Bolt Extractor Kit	
SuperRing® Closet Flange Repair Ring	
DrainStick®	
Drum Trap Cleanout Wrench	
Bayonet™ Deluxe Garbage Disposal Installation Kit	
1/2" and 3/4" PVC Nipple Extractor	
4-Way Sillcock Key Mr. Thread Cleaner™	
"No Hub" Torque Wrench	
Tube Prepping Tools	
1" Fitting Brush	
4-in-1 Fitting and Tube Brush	
Power Tube Cleaning Brush	
Deburring Tool	
Tubing Tools	
3-in-1 Lever Tube Bender	8
4-Piece Spring Tube Bender Set	9
Professional Flaring Tool	
Tubing Cutters	4-8, 13, 15
Utility Service Wrenches	
Emergency Gas Shut-Off Wrench	31
Emergency Gas and Water Shut-Off Wrench	
Water Supply ShutOff™ Wrench	



Choose from a wide variety of Superior Tool® tubing and pipe cutters. You can rest assured you are purchasing a product that is used and endorsed by plumbers everywhere.





Item 35236 1-1/8" O.D. Screw-Feed Tubing Cutter

Mini Cutters for tight confined areas

Screw-Feed Cutters for copper, aluminum and soft steel

Large Diameter Tubing and Pipe Cutters for bigger tasks

- Zinc-plated or epoxy powdered coated finish to resist rust and corrosion
- Replaceable SXT[™] cutter wheels provide long life and exceptionally clean cuts
- Built-in deburring tool on many items
- Ergonomically designed knobs for quick tightening and fast cuts on all tools

5/8" O.D. Rollerless Mini Tubing Cutter

Perfect for cutting copper, aluminum and soft steel materials in confined areas. Zinc-plated body resists rust and corrosion. Large adjustment knob easily tightens with a thumb and finger.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. *For replacement cutter wheel see pg. 33.*

Item No.	0.D.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35025	5/8"	1/8" to 5/8"	0.20 lbs.	12	42525





Mini Tubing Cutters

Perfect for cutting copper, aluminum, soft steel materials in confined areas. The large, grooved knob and stainless-steel rollers make cutting smooth and easy. Durable epoxy powder-coated finish for long life.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. *For replacement cutter wheel see pg. 33.*

Item No.	O.D.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35030	5/8"	1/8" to 5/8"	0.21 lbs.	12	42525
35078	7/8"	1/8" to 7/8"	0.29 lbs.	12	42525
36000	1"	3/16" to 1"	0.33 lbs.	12	42135
35180	1-1/8"	1/8" to 1-1/8"	0.40 lbs.	12	42835





QuickCut[™] Tubing Cutters

The compact design of these cutters makes them ideal for cutting copper and aluminum materials in confined areas. Easy one-handed design; just clip it on the tube and rotate. QuickCut™ is engineered to reduce external burrs, eliminating secondary prepping operations. Constructed with stainless-steel rollers for ultimate durability and long life.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35012	1/2"	0.53 lbs.	12	42526
35034	3/4"	0.57 lbs.	12	42526







1/2" Ratcheting QuickCut™ Tubing Cutter

The 1/2" Ratcheting QuickCut™ Tubing Cutter's "game changing" design features a ratcheting housing and internal cutter head. Working in a tight space? No Problem! The tool body ratchets while the internal cutter head rotates 360°. Perfect for cutting copper and aluminum.

Superior Tool's Ratcheting QuickCut Cutter can be operated with one hand or used with a 1/4" socket extension to power through a variety of mid-sized tubing materials with ease.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35112	1/2"	0.53 lbs.	6	42526



1-1/8" O.D. Screw-Feed Tubing Cutter

Cuts and deburrs a variety of tubes up to 1-1/8". Perfect for cutting copper, aluminum and brass. Fine-pitch threads provide extra torque when tightening. Blade reamer attached to the tool. Corrosion-resistant, zinc-plated body.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. *For replacement cutter wheel see pg. 33.*

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35275	1/8" to 1-1/8"	0.68 lbs.	12	42835





1-1/8" O.D. Screw-Feed Tubing Cutter

A heavy-duty mid-size cutter designed to make clean cuts on a variety of tubes up to 1-1/8". Perfect for cutting copper, aluminum and brass. A large, knurled knob helps to ensure a good grip while quick spinning the cutter open and closed. Blade reamer attached to the tool. Corrosion-resistant, durable epoxy powder-coated finish.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35236	1/8" to 1-1/8"	0.85 lbs.	12	42835





1-1/4" O.D. Enclosed-Feed Tubing Cutter

Superior Tool's® highest quality mid-sized tubing cutter. The enclosed feed mechanism is engineered to protect the threads of the adjusting screw from dirt and damage, ensuring smooth operation. Perfect for cutting soft or hard copper tubing, brass, aluminum and thin wall conduit up to 1-1/4". Blade reamer attached to the tool. A large, knurled knob ensures a good grip while quick spinning the cutter open or closed.

With its corrosion-resistant epoxy powder-coated finish, this enclosed-feed tubing cutter is built to last. The heat-treated proprietary SXTTM alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35219	1/8" to 1-1/4"	0.77 lbs.	6	42835





1-5/8" O.D. Large-Diameter Tubing Cutter

Our heavy-duty mid-sized cutter is specifically designed to make clean cuts on a variety of materials. Perfect for cutting copper, aluminum and brass. Blade reamer attached to the tool. Its large, knurled knob helps to ensure a good grip while quick spinning the cutter open or closed.

With its corrosion-resistant epoxy powder-coated finish, this traditional tubing cutter is built to tackle the toughest jobs. The heat-treated proprietary SXT™ alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
35238	1/4" to 1-5/8"	1.03 lbs.	9	42835





2" Heavy-Duty Pipe Cutter

Our cast iron pipe cutter features wide rollers that provide smooth cutting of steel and Schedule 40 iron pipe. Extra long "T" handle for excellent leverage. Pipe capacity from 1/2" to 2". Durable, corrosion-resistant epoxy coated finish for long life.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
2802	1/2" to 2"	5.62 lbs.	1	42215





2-1/8" Tubing / Pipe Cutter

Our rugged Tubing / Pipe Cutter is an extremely versatile tool, capable of cutting steel / iron pipe, copper tubing and more. Blade reamer attached to the tool. The oversized, comfort non-slip T- handle design creates extra leverage when cutting larger pipe.

With its corrosion-resistant epoxy powder-coated finish, this tubing / pipe cutter is built to last. The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. For replacement cutter wheel see pg. 33.

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
36878	5/8" to 2-1/8"	1.41 lbs.	3	42348





Professional Flaring Tool

Perfect for creating 45° leak-free flares in a number of tube sizes and materials. Specifically designed to accept seven different tube sizes. Large wing nuts permit easy, positive locking on the tubing.

Perfect for HVAC, plumbing, automotive and other applications. Grooved tubing holes securely hold your workpiece for professional results.

Item No.	Flare Sizes	Weight	Case Pack Qty.
17515	3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"	2.35 lbs.	3



3-in-1 Lever Tube Bender

The 3-in-1 Lever Tube Bender is ideal for bending soft materials like copper, brass, aluminum and thin wall steel tubing. Conveniently marked at 0° , 45° and 90° for creating precise angle bends up to 180° without flattening or kinking the tubing.

Constructed with die-cast aluminum and protected with an epoxy powder-coated finish for a durable, corrosion-resistant long life. Ideal for air conditioning and refrigeration tubing.

Item No.	Tubing Size	Weight	Case Pack Qty.
66575	1/4", 5/16", 3/8"	1.07 lbs.	3



4-Piece Spring Tube Bender Set

Spring benders are perfect for making bends (up to 180°) in soft materials, such as copper, brass, aluminum and thin wall steel tubing. This set includes four zinc-plated steel wire spring benders ranging from 1/4" to 5/8". These tools bend tubing without crimps or kinks.

Super elastic construction springs back to its original shape repeatedly. Great for a variety of applications, such as plumbing, HVAC, or automotive brake line use.

Item No.	Tubing Size	Weight	Case Pack Qty.
61600	1/4", 3/8", 1/2", 5/8"	1.23 lbs.	3



TUBE PREPPING TOOLS

1" Fitting Brush

Our Fitting Brush is uniquely manufactured to provide leak-free solder joints. Series 300 stainless steel bristles virtually eliminate rust which can contaminate your work and cause a joint failure. For cleaning copper tubing and plumbing fittings, closed loop HVAC fittings and aluminum prior to low temperature soldering or welding.

This fitting brush is perfect for applications requiring spark-free tools such as explosive gas atmospheres. The current design meets MIL and ASTM specifications used by the U.S. Department of Defense (MIL SPEC).

Item No.	Bristle Length	Weight	Case Pack Qty.
18610	1"	0.15 lbs.	3





Deburring Tool

The quickest way to remove burrs and sharp edges after cutting copper, brass, aluminum and soft steel tubing. The swivel action blade easily removes internal or external burrs. Our deburring tool comes with two hardened steel blades conveniently stored in the handle. For replacement blade see pg. 34.

Item No.	Weight	Case Pack Qty.	Replacement Blade No.
18850	0.13 lbs.	6	42424









4-in-1 Fitting and Tube Brush

The uniquely designed 4-in-1 Fitting and Tube Brush does the job of four brushes. Prep 1/2" and 3/4" copper tubing on the inside and outside prior to soldering. The long lasting stainless steel bristles create a contamination-free surface for a leak-free solder joint.

Item No.	Tubing Size	Weight	Case Pack Qty.
99643	1/2", 3/4"	0.18 lbs.	6



Power Tube Cleaning Brushes

These 1/2" and 3/4" Power Tube Cleaning Brushes are ideal for projects requiring a large amount of soldered or brazed fittings. Use with a standard corded or cordless drill featuring keyed chucks, chuck adapters and keyless chucks. The quick release 1/4" hex shank securely holds the brush in your drill, eliminating slipping.

Item No.	Tubing Size	Weight	Case Pack Qty.
18912	1/2"	0.08 lbs.	6
18934	3/4"	0.09 lbs.	6



Always rotate the brush in a clockwise rotation at the lowest speed setting. Do not use with a hammer drill. Only a few rotations are needed for proper cleaning. Do not over clean. Only clean proper sized tubing.

PIPE TOOLS / PVC AND PEX

1" Ratcheting PVC Cutter

This PVC Cutter is the perfect tool for quick, clean cuts through hose, plastic tubing and Schedule 40 PVC pipe up to 1". Perfect for DIY or professional users. Diecast, lightweight aluminum handles. Durable powder-coated finish for easy clean-up and long life. The ratcheting one-handed action frees up the other hand to hold the work.

The steel blade produces a smooth effortless cut, leaving a burr free finish. Locking clasp keeps cutter closed when not in use.

Item No.	Cutting Capacity	Weight	Case Pack Qty.
37110	1-5/8" O.D.	0.81 lbs.	6



Soft Grip Ratcheting PVC Cutters

The perfect tool for quick, clean cuts through hose, plastic tubing and Schedule 40 PVC pipe up to 2-1/2". Diecast lightweight aluminum handles with cushion grip for comfort. Durable powder-coated finish for easy clean-up and long life. The ratcheting one-handed action frees up the other hand to hold the work.

The replaceable steel blade produces a smooth effortless cut, leaving a burr free finish. Locking clasp keeps cutter closed when not in use. For replacement blade see pg. 35.

Item No.	Cutting Capacity	Weight	Case Pack Qty.	Replacement Blade No.
37118	1-5/8" O.D.	0.80 lbs.	2	42774
37116	2-1/2" O.D.	1.20 lbs.	3	42773



2" Ratcheting PVC Pipe Cutter

This extra-large capacity Ratcheting PVC Pipe Cutter is perfect for cutting Schedule 40 PVC and polyethylene pipe. Closure clip securely holds the tool shut when not in use. The heavy-duty ratchet mechanism maximizes the large handle's leverage.

The pipe is held securely with the wide hooked jaw, resulting in fast, clean cuts. Easier and quicker than a hacksaw.

Item No.	Cutting Capacity	Weight	Case Pack Qty.
37115	2-1/2" O.D.	2.90 lbs.	3



PIPE TOOLS / PVC AND PEX



PVC Cable Saw

Ideal for quick cutting of PVC pipe in tight spaces. It will not rust. The saw only requires 1/4" of clearance and features large comfort grip handles. The cable blade is made of galvanized, braided steel for smooth and easy cuts.

Great for fast cutting of PVC plumbing, drain and irrigation pipe. This convenient, 24" cable saw can cut pipes up to 8" in diameter.

Item No.	Blade Length	Weight	Case Pack Qty.
37730	24"	0.07 lbs.	6



Saw blade can be rotated into 11 positions without tools. It can even make flush cuts.

PVC Plumber's Saw

A great lightweight tool for plumbing projects. It's also an excellent general use saw. Perfect for cutting PVC, CPVC, ABS, wood, drywall and more. Hardened steel teeth for greater wear resistance and durability. Constructed with a rugged aluminum handle covered with an ergonomic soft grip.

The blade can be rotated at 11 different angles by removing the mounting bolt and adjusting the blade. Perfectly sized 11" / 12TPI hardened blade can be set to make flush cuts. Blade replaces easily and changes in seconds. For replacement blade see pg. 34.

Item No.	Blade Length	Weight	Case Pack Qty.	Replacement Blade No.
37513	11.25"	0.80 lbs.	6	37613



Mini Hacksaw

The super handy compact size is great when making cuts in tight spaces. Cushioned handle. Plumbers, electricians, mechanics and DIYers reach for this tool when a flush or contour cut is needed. The high carbon, heat-treated, 6" / 32 TPI fine-toothed replaceable blade delivers precise cuts.

Perfect for use on a variety of materials, such as wood, plaster, aluminum, steel, brass, etc. For replacement blade see pg. 34.

Item No.	Blade Length	Weight	Case Pack Qty.	Replacement Blade No.
37700	6"	0.30 lbs.	6	37701

PIPE TOOLS / PVC AND PEX

1-1/4" Internal PVC Pipe Cutter

Our Internal PVC Pipe Cutter easily attaches to a standard corded or cordless drill to quickly cut pipe internally. Perfect for close quarter situations where a saw or PVC cutter won't fit. Features a 5/16" quick release hex shank.

The heat-treated steel saw blade cuts PVC, CPVC or ABS pipe from the inside out. For replacement blade see pg. 35.

Item No.	Blade Diameter	Weight	Case Pack Qty.	Replacement Blade No.
37516	1-1/4"	0.25 lbs.	6	47520



Flexible Tube Cutter

The perfect tool for cutting a variety of types of flexible tubing. The PTFE-coated replaceable blade produces fast clean cuts in a wide variety of PEX, poly, vinyl and rubber tubing materials.

This lightweight tool's high performance rugged design will provide you with quick clean cuts for years to come. Closure clip securely holds the tool shut when not in use. For replacement blade see pg. 35.

Item No.	Tube Capacity	Weight	Case Pack Qty.	Replacement Blade No.
37210	1-1/2"	0.29 lbs.	6	42777



PEX Pocket Crimper

The quick, easy, cost-effective way to get the job done! Its compact design lets you crimp in tight spaces like under the sink or behind walls. It will even work well with common 2" manifolds. This handy tool crimps three different sizes of black copper rings while using your own 10" locking pliers.

Meets ASTM F1807 Spec for crimping PEX. Includes the PEX crimper, pouch, "Go / No Go" gauge and instructions for use. Solid hardened alloy steel – No adjustments ever needed!

Item No.	Capacity	Weight	Case Pack Qty.
7100	3/8", 1/2", 3/4"	1.40 lbs.	6





PIPE TOOLS

Heavy-Duty Straight Cast-Iron Pipe Wrenches



Superior Tool's® Heavy-Duty Straight Cast-Iron Pipe Wrenches are durable, easy-to-adjust and perform flaw-lessly in the toughest plumbing situations. Their smooth adjustable nut allows for effortless adapting to maximum pipe sizes. Ductile cast-iron; 50% stronger than competitors.

Constructed with sharp teeth for a superior grip on the pipe. Heavy-duty, well-balanced handle provides excellent leverage for even the most stubborn of pipes. Hook jaw marked with pipe sizes.

Item No.	Length	Jaw Capacity	Weight	Case Pack Qty.
2808	8"	1"	0.95 lbs.	1
2810	10"	1-1/2"	1.90 lbs.	6
2814	14"	2"	3.90 lbs.	3
2818	18"	2-1/2"	5.50 lbs.	1
2824	24"	3"	9.26 lbs.	1
2836	36"	5"	20.36 lbs.	1
2848	48"	6"	36.10 lbs.	1

Heavy-Duty Straight Aluminum Pipe Wrenches



Superior Tool's® Heavy-Duty Straight Aluminum Pipe Wrenches are durable, easy-to-adjust and perform flaw-lessly in the toughest plumbing situations. Our aluminum design provides the same features as cast-iron models but weigh almost 40% less. The knurled adjustable nut operates smoothly for effortless adapting to maximum pipe sizes.

Constructed with sharp teeth for optimal pipe grip. Durable epoxy powder-coated finish for long life. Exceeds government specification GGG651 Type II, Class C. Well-balanced handle provides excellent leverage for loosening even the most stubborn pipes. Hook jaw marked with pipe sizes.

Item No.	Length	Jaw Capacity	Weight	Case Pack Qty.
4814	14"	2"	2.36 lbs.	3
4818	18"	2-1/2"	3.47 lbs.	1
4824	24"	3"	5.60 lbs.	1

PIPE TOOLS

2" Bench Yoke Vise

Ideal for threading or cutting pipes up to 2" in diameter. Industrial grade and durable construction ensure years of trouble-free service. Ball handle design for easy gripping with oily or dirty hands. The yoke hook grips and locks tight, securely holding your workpiece.

For long-lasting dependable service, extra-large alloy steel jaws are hardened to grip firmly on your workpiece. The base is constructed with builtin pipe support and mounting holes. Our bench yoke vise features a durable epoxy powder-coated finish for long life.

Item No. Pipe Capacity		Pipe Capacity	Weight	Case Pack Qty.	
	2816	1/8" to 2"	2.36 lbs.	1	



Cast iron pipe cutter with wide rollers that provide smooth cutting of steel and Schedule 40 iron pipe. Extra long "T" handle for excellent leverage. Pipe capacity from 1/2" to 2". Durable, corrosion-resistant epoxy coated finish for long life.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. *For replacement cutter wheel see pg. 33.*

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
2802	1/2" to 2"	5.62 lbs.	1	42215

2-1/8" Tubing / Pipe Cutter

Our rugged Tubing / Pipe Cutter is an extremely versatile tool, capable of cutting steel / iron pipe, copper tubing and more. Blade reamer attached to the tool. The oversized, comfort non-slip, T-shaped handle design creates extra leverage when cutting larger pipe. With its corrosion-resistant epoxy powder-coated finish, this tubing / pipe cutter is built to last.

The heat-treated proprietary SXT[™] alloy steel cutter wheel cuts smoothly and is easily replaced. *For replacement cutter wheel see pg. 33.*

Item No.	Pipe Capacity	Weight	Case Pack Qty.	Replacement Wheel No.
36878	5/8" to 2-1/8"	1.41 lbs.	3	42348









PIPE TOOLS



Internal Pipe Wrenches

The best tool to reach for when you need to remove broken threaded pipe ends without damaging pipe threads or surfaces. The unique "Cam Action" design provides a non-slip grip on the inside of nipples, pipes and fittings. The wrench can be turned either clockwise or counterclockwise.

Our internal pipe wrenches are made of zinc-coated, heat-treated alloy steel for long life and are available in three sizes.

Item No.	Size	Pipe Capacity	Weight	Case Pack Qty.
5238	3/8"	3/8"	0.25 lbs.	3
5212	1/2"	1/2"	0.35 lbs.	6
5234	3/4"	3/4"	0.50 lbs.	6

PLIERS



Adjustable Soft Jaw Plumbing Pliers

The best tool to reach for when you don't want to mar or scratch polished and plated surfaces. Made of heavy-duty hardened steel for long life, these are perfect for use on basin and sink locknuts, trap nuts and toilet spuds up to 2". Adjustable tongue and groove style lets you adjust the tool to fit your needs.

Constructed with durable soft-touch grips for comfort and ease of use.

Item No.	Item No. Jaw Capacity		Case Pack Qty.
6011	1-1/4", 1-1/2", 2"	0.75 lbs.	3



Soft Jaw Plumbing Pliers

The tool you will need when you don't want to mar or scratch polished and plated surfaces. Made of heavy-duty hardened steel for long life, these are perfect for use on basin and sink locknuts, trap nuts and toilet spuds up to 2".

Constructed with vinyl grips for comfort and ease of use.

Item No.	Jaw Capacity	Weight	Case Pack Qty.
6012	1-1/4" to 2"	0.91 lbs.	3

FAUCET HANDLE / SLEEVE PULLERS

Pull handles and sleeves with ease



Remove frozen faucet handles for reseating and repairs



Save supply lines and other critical tubing by removing compression sleeves



See the 3876 Pro Plumber's Handle / Sleeve Puller Kit in use!



Pro Plumber's Handle / Sleeve Puller Kit

- Truly rugged construction arms resist flexing when placed under pressure
- Bracket arms can adjust to fit both large and small faucet knobs and handles

Item No.	Weight	Case Pack Qty.
3876	0.93 lbs.	6



Superior Tool EXCLUSIVE PATENTED Our patented adapter removes the toughest compressed sleeves

FAUCET HANDLE / SLEEVE PULLERS



Plumber's Handle / Sleeve Puller Kit

800-827-3398

Easily remove seized faucet handles from valve stems and compression sleeves. The bracket arms can adjust to fit both large and small faucet knobs and handles. The 1/2" (5/8" O.D.) compression sleeve puller (ferrule remover) is included in this kit for quick and easy removal of compression sleeves from copper tubing.

Unlike other products, the puller arms on our tool resist flexing when placed under pressure. Constructed of zinc-plated steel for corrosion-resistant, durable long life.

Item No.	Weight	Case Pack Qty.
3875	0.78 lbs.	6



Pro Plumber's Handle / Sleeve Puller Kit

Easily remove the toughest frozen faucet handles from valve stems for reseating and repair. The bracket arms adjust to fit both large and small faucet knobs and handles. Additionally, this tool can save supply lines and other critical tubing by removing stubborn compression rings, saving time and eliminating work.

The patented compression sleeve puller adapter (ferrule remover) threads onto the compression nut and easily removes 1/2" (5/8" O.D.) compression sleeves, ferrules, rings, olives, and fittings from copper tubing. Unlike other products, the puller arms resist flexing when placed under pressure. Constructed of zinc-plated steel for corrosion-resistant, durable long life.

Item No.	Weight	Case Pack Qty.	
3876	0.93 lbs.	6	





Compression Sleeve Puller

The quick-and-easy way to remove leaking 1/2" compression sleeves (ferrules) without damage to the supply line. No need to open walls to access pipes with this labor-saving tool.

Its unique armless design screws directly into the compression nut for fast removal of the compression sleeve. T-handle for controlled turns. Specifically designed to remove 1/2" (5/8" O.D.) compression sleeves.

Item No.	Weight	Case Pack Qty.
3943	0.54 lbs.	6

BASIN WRENCHES

The best buddy for tight spaces

Basin Buddy™ Universal Faucet Nut Wrench

The Basin Buddy wrench fits metal lock nuts, coupling nuts, PVC lock nuts, most metal and plastic toilet supply nuts.

Item No.	Ratchet Drive	Nut Capacity	Weight	Case Pack Qty.
3825	1/4" and 3/8"	1" and 1-1/8"	0.23 lbs.	3















- Accurately machined from a one-piece high quality aluminum blank
- Works with a 3/8" ratchet. Use an extension or universal joints to reach difficult locations
- 1/4" to 3/8" socket drive adapter included



See the 3825 Basin Buddy in use!





Fits numerous plumbing nuts







Basin Buddy™ Universal Faucet Nut Wrench

The Basin Buddy™ Faucet Nut Wrench is a universal basin tool used to remove a variety of coupling nuts and locknuts in hard-to-reach places like under your bathroom vanity or pedestal sink. The unique cut-away body design lets the Basin Buddy fit around feed lines and easily remove nuts.

Add a 1/4" or 3/8" ratchet and extension to easily remove coupling nuts and locknuts. Included with the tool is a 1/4" to 3/8" drive adapter to use either size ratchet.

Item No.	Ratchet Drive	Nut Capacity	Weight	Case Pack Qty.
3825	1/4" and 3/8"	1" and 1-1/8"	0.23 lbs.	3







11" Basin Wrench

The perfect tool for plumbing projects in hard-to-reach areas, like under kitchen and bathroom sinks. Loosens/tightens nuts on faucets, drains, valves and supply lines in tight spaces. The spring-loaded jaw tightly grips faucet nuts in tight spots, making faucet removal and installation easier, great for other projects too.

The 180° pivoting head automatically adjusts to any angle. Our durable basin wrench is constructed for long life.

Item No.	Length	Nut Capacity	Weight	Case Pack Qty.
3811	11"	1"	1.30 lbs.	6

Telescoping design is perfect for deep sinks and basins

17" Telescopic Basin Wrench

The perfect tool for plumbing projects in hard-to-reach areas, like under kitchen and bathroom sinks. Long 17" nickel-plated telescoping bar easily locks into four different positions. Perfect for working on deeper sinks and basins. The spring-loaded jaw tightly grips faucet nuts in tight spots, making faucet removal and installation easier, great for other projects too.

The 180° pivoting head automatically adjusts to any angle. Our durable telescopic basin wrench is constructed for long life.

Item No.	Length	Nut Capacity	Weight	Case Pack Qty.
3812	17"	1"	1.95 lbs.	3



Plumber's Pal™ Professional Drain Wrench

Make easy work of tightening or loosening strainer drains typically found in sinks. The Plumber's Pal™ also features a squared end specifically designed to tighten stand-up shower drains. Plumber's Pal's uniquely engineered slots and tabs fit most locknut slots of all major manufacturer's plastic and brass strainer drains.

Work in tight spaces with the cushioned offset grip handle. Convenient handle hang hole for easy storage.

Item No.	Weight	Case Pack Qty.
3710	0.65 lbs.	6



SinkDrain[™]Wrench

This wrench's versatility makes it a great tool to have on hand for most sink and bathroom plumbing projects. Its innovative, universal design fits kitchen and bathroom P-trap nuts, kitchen sink basket strainer nuts and plastic nuts with wing tabs. The stepped head design fits a variety of sizes of brass drain nuts.

It features a handy 3/8" square socket drive recess for jobs requiring more leverage. Patented design is only available from Superior Tool®. Constructed of nickel-plated steel for durability and long life.

Item No.	Weight	Case Pack Qty.
3845	0.58 lbs.	6







Adjustable Combination Wrench

The perfect tool that fits a variety of nuts for various under sink and toilet applications. Quickly adjusts from 1" to 3" using a one-handed mechanism. The easy-to-tighten wing nut firmly locks the wrench's size. Built with an ergonomic, soft grip handle for comfort.

Constructed with zinc-plated, cast iron for long life.

Item No.	Nut Capacity	Weight	Case Pack Qty.
3840	1" to 3"	0.70 lbs.	6











Tapered Faucet Seat Wrench

Makes replacing faucet seats in the sink, shower or tub easier. This tapered tool fits most faucet seats. The two ends of the wrench fit square and hexagonal seats and the wrench's 6" x 6" design provides adequate leverage to remove stubborn frozen seats.

Built to last, made with 7/16" diameter heat-treated steel.

Item No.	Weight	Case Pack Qty.
3850	0.50 lbs.	6







6-Step Faucet Seat Wrench

Makes replacing faucet seats in the sink, shower or tub easier. This tool fits most hexagonal and square shaped faucet seats and it's 6" x 6" design provides adequate leverage to remove stubborn frozen seats. Each end of the wrench fits three different sized seats.

Built to last, made with 7/16" diameter heat-treated steel.

Item No.	Weight	Case Pack Qty.
3860	0.50 lbs.	6











2-Piece Stepped and Tapered Faucet Seat Wrench Set

Makes replacing faucet seats in the sink, shower or tub easier. This two-piece stepped and tapered set fits most hexagonal and square seats.

Built to last, made with heat-treated steel. Each wrench measures 6" x 6".

Item No.	Weight	Case Pack Qty.
3765	0.90 lbs.	6

Remove stubborn, corroded tub drains









Firmly tap the extractor into the tub drain

Tub Drain Extractor™

Turn a difficult, timeconsuming repair into an easy "tap and removal"

Item No.	Weight	Case Pack Qty.
5255	0.67 lbs.	2

- Removes most stubborn, "frozen" tub drains
- Knurled teeth "bite" into the drain for a secure hold and removal
- Use with a 1/2" drive ratchet or wrench
- Hardened steel for durability
- Plated for corrosion resistance







Remove the drain with a ratchet or wrench



See the 5255 Tub Drain **Extractor in use!**

Only available from **Superior Tool®**



Derior Too

SINK DRAIN, SHOWER, SUPPLY LINE AND TUB WRENCHES

800-827-3398



PopOut Plug Wrench

This dual-ended tool is great for installing or removing vanity sink popup plugs and basket tub drains. Insert the tool, using the end that best fits the drain on which you are working. Rotate the tool counterclockwise to unthread the drain. It can also be used to prevent rotation during installation and removal of a sink lock nut.

Durable zinc-plated steel construction for corrosion resistance and long life.

Item No.	Weight	Case Pack Qty.
3930	0.53 lbs.	6



Tub Drain Extractor™

Turn a difficult, time-consuming repair into an easy "tap and removal." Remove stubborn frozen 1-1/2" tub drains when the crosshairs on an old drain are corroded or missing. No need to chisel and hammer out the old drain and risk cracking the tub.

This time-saving tool with a helical knurl design does all the work. The teeth lock in with a light hammer tap. Designed to work with a 1/2" ratchet drive and extension or wrench. Hardened steel design with a zinc-plated finish for long life.

Item No.	Weight	Case Pack Qty.
5255	0.67 lbs.	2







DrainKey™

The DrainKey™ is an industry endorsed tool that expands inside the drain with three knurled steel sections. Once the tool is "locked-in" tight, you can rotate the drain out using the large nut. The diameter expansion design allows the DrainKey to internally grip in a 360° pattern.

This invaluable tool expands with a standard or adjustable wrench to remove or install bathtub drains, 1-1/4" or 1-1/2" closet spuds, duplex strainers, jr. duo strainers, jr. basket strainers and tray plug drains. Coated finish for corrosion resistance. Extra O-ring included.

Item No.	Weight	Case Pack Qty.
4500	1.20 lbs.	2



Tub Drain Wrench / Dumbell Wrench

Our unique Tub Drain Wrench / Dumbell Wrench is an innovative, patented design used to install and remove tub drains without scratching fine finishes, even those without crossbars, such as Kohler's® or American Standard®.* Both ends of the tool can be used. Simply select the end which fits best in the drain.

The wrench can be turned with a 3/8" or 1/2" ratchet wrench and extension, adjustable wrench or heavy-duty screwdriver. Tested to 100 ft. lbs. of torque.

^{*}Kohler® and American Standard® are intellectual property of their respective companies.

Item No.	Weight	Case Pack Qty.
6020	0.70 lbs.	3





6-Piece Tub and Shower Valve Wrench Set

The perfect tool for plumbers and DIYer's toolboxes. These tools are specially designed to fix leaky tub or shower faucets. Our valve wrench set is 25% longer than standard tools, making access to recessed valve stems in tile-covered walls easier.

The set includes five sizes and a turner bar to fit most valves. Thick wall, nickel-plated construction will not slip or round out valve stem edges.




Item No.	Wrench Sizes	Weight	Case Pack Qty.
3755	21/32" x 27/32", 29/32" x 31/32", 1-1/32" x 1-3/32", 1-5/32" x 1-9/32", 1-11/32" x 1-7/16"	2.30 lbs.	6

Basket Strainer Wrench

This 1-1/4" O.D. time saving tool makes the installation or removal of basket strainers a one-person job. The tool's durable steel construction and 6" sliding T-handle provide optimal torque to easily hold most basket strainers in place while the lock nut is tightened. The deep handle offset provides a longer reach for those tight under the sink spaces.

Suitable for most strainer baskets. Durable zinc-plated steel construction for corrosion free, long life.







TightSpot™ Wrenches

The uniquely designed offset handle lets you install or remove traps and drain lines on pedestal sinks without removing the sink. Works perfectly on regular drain fittings and most 6, 8 and 12-sided drain nuts.

Engineered to provide ample leverage for installation and removal of drain tail piece nuts in confined areas. Durable, lightweight cast aluminum alloy construction resists corrosion and provides long life.

Item No.	Drain Nut	Weight	Case Pack Qty.
3914	1-3/4"	0.42 lbs.	6
3915	1-15/16"	0.43 lbs.	6







1/2" Nipple Extractor and Shower Arm Thread Remover

Our patented nipple extractor is perfect for removing hard-to-reach broken shower arm threads and is great for many other plumbing applications. Lock the extractor into the broken pipe thread with a couple taps from a hammer. Remove the old broken-off thread by hand or with a wrench.

Item No.	Weight	Length	Case Pack Qty.
5245	0.35 lbs.	3-1/8"	4





SPECIALTY PLUMBING TOOLS AND ACCESSORIES



5-Piece Bolt Extractor Kit

Our 5-Piece Bolt Extractor Kit removes broken screws, bolts, nuts, studs, fittings, threaded pipes and pins quickly. High-density spiral threads grip internally and easily remove the broken workpiece. Includes five sizes of hex-ended extractors; suitable for use with both power and hand tools. Perfect for a variety of applications, including plumbing and automotive work.

Required drill sizes are listed on the packaging – 1/8" (requires 1/4" drill), 1/4" (requires 11/32" drill), 3/8" (requires 15/32" drill), 1/2" (requires 19/32" drill) and 3/4" (requires 25/32" drill).

Item No.	Extractor Sizes	Weight	Case Pack Qty.
5250	1/8", 1/4", 3/8", 1/2", 3/4"	0.65 lbs.	6





"No Hub" Torque Wrench

Our "No Hub" Torque Wrench eliminates any guesswork in obtaining a proper, leak-free seal on couplings and hose clamps. T-shaped handle supplies needed leverage for tightening of couplings. The wrench will click when 60 in.-lbs. of torque is reached. Perfect for one-handed tightening and loosening of screws and removing couplings.

All mechanisms are sealed in the die-cast handle and permanently lubricated for the life of the tool. 5/16" hex drive.

Item No.	Capacity	Weight	Case Pack Qty.
3705	60 inlbs. torque / 5/16" hex drive	0.84 lbs.	3



1/2" and 3/4" PVC Nipple Extractor

Quickly and easily remove broken 1/2" and 3/4" risers from PVC fittings. This indispensable tool eliminates the need to dig up fittings to remove broken risers. Extractors fit into the T-handle. The tool can also be used to install and tighten new risers as well.

High-quality materials and durable steel construction. Rubberized T-handle grip for easy handling. Specifically designed for outdoor PVC use.

Item No.	Capacity	Weight	Case Pack Qty.	
5270	1/2" and 3/4"	0.30 lbs.	6	



Drum Trap Cleanout Wrench

Specifically designed to make installing or removing threaded cleanout plugs a breeze. This hefty, 6-sided tool will fit four different square and two different slotted countersunk drum traps.

Square wrenches fit 3/4" x 3/4", 7/8" x 7/8", 1-3/16" x 1-3/16", 1-5/16" x 1-5/16" plugs. Slotted wrenches fit 1/4" x 1" and 1-1/2" x 7/8" plugs. Durable cast iron construction for long life.

Item No.	Weight	Case Pack Qty.
3932	2.70 lbs.	1



800-827-3398



4-Way Sillcock Key

Designed to open and close four different sizes of outdoor sillcock valves and spigots and is compact enough to easily fit in your toolbox or emergency plumbing bag.

Made with heat-treated steel and black oxide coated for long life. Socket sizes fit most sillcocks and spigots.

Item No. Socket Sizes		Weight	Case Pack Qty.
3960	1/4", 9/32", 5/16", 11/32"	0.15 lbs.	6



Item No.	Weight	Case Pack Qty.
26100	0.83 lbs.	6

Bayonet[™] **Deluxe Garbage Disposal Installation Kit**

Easily connect a garbage disposal to your kitchen sink using the innovative, patented Bayonet™ Locking System. No guesswork when tightening connections—not too loose or overtightened. All components lock tightly by hand with a slight turn of the locking nuts.

Fits all disposals and works with your existing trap and drain components. The Bayonet installation kit makes installing or replacing an old garbage disposal much easier. Made for double basin sinks.




Kit includes the following:


- 1 6" Flanged Tailpiece
- 1 10" Flanged Tailpiece
- 1 Disposal Tee
- 1 J-Bend
- 1 Wall Arm
- 1 Telescoping 90° Extender
- 5 Pre-Lubricated O-Rings
- 5 Connection Nuts
- 1 Disposal Connection Rubber Washer




The old method of over or under tightening. Leaks are common.



The Bayonet method: simple twist lock for easy, leak-free installations.



The components are custom designed to fit together perfectly.



Rotate the locking nut 1/8th turn until it "locks" for a leak-free seal.

Fix a rocking toilet with a SuperRing®

SuperRing® Closet Flange Repair Ring

Repair water leaks around the toilet base. Slotted for 1/4" or 5/16" closet bolts.

Item No.	Item No. Capacity		Case Pack Qty.	
21015	1/4" and 5/16" bolts	0.52 lbs.	12	





See the 21015 SuperRing® in use!

Avoid replacing your toilet drain pipe or flange





- A quick, easy solution for a common plumbing issue
- 4 tabs allow you to securely tighten the SuperRing directly to a wood or concrete floor
- Slotted sides align perfectly for toilet bolts
- Powder-coated for corrosion resistance
- Heavy-gauge steel and quality design



SuperRing® Closet Flange Repair Ring

The SuperRing® is a quick, easy solution for a loose or leaking toilet. The ring's screw hole tabs allow the SuperRing to be attached directly to a wood or concrete subfloor. The slotted openings are designed to align perfectly with the 1/4" or 5/16" toilet mounting bolts.

Corrosion resistant, powder-coated, heavy-gauge steel construction for long life. Patent Pending – The original SuperRing is only available from Superior Tool.

Item No.	Capacity	Weight	Case Pack Qty.
21015	1/4" and 5/16" bolts	0.52 lbs.	12







DrainStick®

The Better Way to Unclog Drains™. DrainStick® eliminates the need to take apart pipes, use snakes, augers or messy, dangerous chemicals. Its long length and angled head easily removes hair and clogs caught between the drain and the end of the trap. Made from corrosion-resistant nylon that is tough and rinses clean - so it can be used over and over.

Angled head and 18-3/8" usable length easily navigates turns and reaches deep to clear pipes. Conveniently stores under your sink.

Item No.	Length	Usable Length	Weight	Case Pack Qty.
3819	24"	18-3/8"	0.05 lbs.	12





Mr. Thread Cleaner™

Mr. Thread Cleaner™ clears debris and renews threads on hose taps. Over time, outdoor spigots become corroded with mineral build-up and foreign material, causing hoses to leak. Designed to work with a 3/8" socket drive and extension, pliers or wrench.

Made from hardened steel and plated for long life.

Item No.	Weight	Case Pack Qty.
5265	0.36 lbs.	2







UTILITY SERVICE WRENCHES



A must-have for any plumber or homeowner. Gas leaks, fires and other natural disasters occur with little or no warning. Be prepared to turn off your gas supply at the source.

This rust-resistant gas-shut off wrench can be left attached to the gas meter, eliminating the need to search through the toolbox during an emergency. Multiple-sized slots to fit most gas meter valves.

Item No.	Wrench Length	Weight	Case Pack Qty.
2725	12" with 1-1/2" X 5/8", 3/4" X 3/8", 1-1/4" X 3/8" and 1-1/16" X 3/8" slots	0.98 lbs.	6



A must-have for any plumber or homeowner. Gas leaks, plumbing leaks and natural disasters occur with little or no warning. Be prepared to turn off your gas or water supply at the source. Multiple-sized slots are designed to fit most gas valves.

Quickly address water emergencies by inserting the gas shut-off wrench onto the end of the water wrench, creating a T-handle.

Item No.	Wrench Length	Weight	Case Pack Qty.
2750	12" with 1-1/2" X 5/8", 3/4" X 3/8", 1-1/4" X 3/8" and 1-1/16" X 3/8" slots	2.19 lbs.	6

Water Supply ShutOff™ Wrench

A safe and easy way to turn off hard-to-reach water supply valves under toilets and sinks. Eliminates using a standard wrench to open or close angle stops, leading to potentially broken valves. Strong TripleColumn™ fluted construction is both sturdy and durable.

Our uniquely designed wrench fits over the shut off valve knob and will not damage the chrome finish on your fixtures. Easily work under sinks and behind toilets with a full 12" reach.

Item No.	Wrench Length	Weight	Case Pack Qty.
3990	12"	0.33 lbs.	6



REPLACEMENT PARTS

The wheel... reinvented




Over 70 years of plumbing expertise goes into every Superior Tool® tubing cutter wheel





Annealed Steel







SXT™ cutter wheels use a special annealed steel. This unique material has a higher carbon content to provide deeper, uniform hardening capabilities.

- Superior surface hardening by painstakingly burnishing the wheel's cutting edge
- Each wheel is strengthened from hub-to-edge by cryogenic treatment and careful, slow tempering
- A special black oxide treatment reduces friction and fights corrosion

Quality Control



Proprietary Design and Processing





REPLACEMENT PARTS





Replacement Tubing and Pipe Cutter Wheels

Vast plumbing knowledge and expertise goes into every Superior Tool[®] tubing and pipe cutter wheel we make. Superior Tool's proprietary SXT™ cutter wheels use a special annealed steel that provides a higher carbon content to ensure deeper, uniform hardening capabilities.

We painstakingly burnish the wheel's cutting edge to ensure smooth, quick tubing cuts. Wheel edges are laser inspected for accuracy and quality.

Each wheel is strengthened from hub-to-edge by cryogenic treatment and careful, slow tempering. A specially applied black oxide treatment reduces friction and fights corrosion. Two replacement cutter wheels per package.

Product Reference Chart

Tubing / Pipe Cutter	Replacement Wheel	Replacement Wheel Case Pack Qty.	Iron Pipe	Steel Pipe	Copper	Alum.	Brass	Made in the USA
2802	42215	6	•	•				
35012	42526	12			•	•		
35025	42525	12		•	•	•		
35030	42525	12		•	•	•		
35034	42526	12			•	•		
35078	42525	12		•	•	•		
35112	42526	12			•	•		
35180	42835	12			•	•	•	
35219	42835	12			•	•	•	
35236	42835	12			•	•	•	
35238	42835	12			•	•	•	
35275	42835	12			•	•	•	
36000	42135	12		•	•	•		
36878	42348	6	•	•	•			







Replacement Blades for Mini Hacksaw (fits Item 37700)

Fits Mini Hacksaw and can be changed without any tools. Ensures optimal performance. Each blade is quality crafted in England with heat-treated, high carbon steel. The 6" / 32 TPI blade is excellent for making fine cuts on plaster, wood, aluminum, steel and brass.

Each package includes ten replacement blades.

Part No.	Weight	Case Pack Qty.
37701	0.11 lbs.	6





Flame hardened teeth for long life.

Replacement Blade for PVC Plumber's Saw (fits Item 37513)

Fits PVC Plumber's Saw and can be changed without any tools. Ensures optimal performance. Each blade is quality crafted with heat-treated teeth using high carbon steel. The 12 TPI blade is excellent for making quick cuts on PVC pipe and other materials.

Each package includes one blade.

Part No.	Weight	Case Pack Qty.
37613	0.40 lbs.	3



Replacement Blades for Deburring Tool (fits Item 18850)

Fits Deburring Tool. Ensures optimal performance. Cleanly removes burrs and sharp edges after cutting copper, brass, aluminum and soft steel tubing.

Each package includes two replacement blades.

Part No.	Weight	Case Pack Qty.
42424	0.01 lbs.	6



REPLACEMENT PARTS



Replacement Blade for Internal PVC Pipe Cutter (fits Item 37516)

Fits Internal PVC Pipe Cutter. Ensures optimum performance. Heat-treated steel saw blade quickly cuts PVC, CPVC or ABS pipe. Diameter: 1-1/4".

Each package includes one blade.

Part No.	Dia.	Weight	Case Pack Qty.
47520	1-1/4"	0.05 lbs.	3



Replacement Blades for PVC Cutters

Blades fit items shown below. Ensures for optimum performance. Cleanly cuts through hose, plastic tubing and Schedule 40 PVC pipe. Hardened stainless steel resists rust. Pointed edge blade design "grips" and pierces the pipe. Provides clean burr-free cuts.

Each package includes one blade.

Part No.	Fits Item	Weight	Case Pack Qty.
42773	37116	0.01 lbs.	3
42774	37118	0.01 lbs.	3



Replacement Blade for Flexible Tube Cutter (fits Item 37210)

Fits Flexible Tube Cutter. Ensures optimum performance. Produces fast clean cuts every time. Designed to cut poly tubing, PEX, vinyl and rubber tubing. PTFE-coated blade for a smoother cut.

Each package includes one blade.

Part No.	Weight	Case Pack Qty.
42777	0.04 lbs.	10



Plumbing Terms

ABS

Short for Acrylonitrile Butadiene Styrene, this black plastic pipe is rigid and is commonly found in drains, vents, and waste lines.

Angle Stop

An angle stop is a shutoff valve between the water supply and plumbing fixture. It is used to shut off water flow while you repair the connected item. Angle stops are commonly found near the wall. They are usually connected to a toilet, bathroom sink or kitchen sink with a braided, flexible supply line.

Black Water

Water and solids that come from a toilet.

Closet bend

The closet bend connects the closet flange to the toilet's drain.

Closet flange

The closet flange is a ring that anchors the closet bend to the floor. The closet flange also includes bolts and nuts that secure the toilet in place. A wax ring sits on the closet flange and seals the toilet to the flange.

CPVC

CPVC (chlorinated poly (vinyl chloride) is a strong and rigid thermoplastic material that is used for hot and cold potable water applications in residential construction. Because of its makeup, CPVC is immune to damage from highly-chlorinated domestic water and has a higher temperature tolerance than PVC. Chlorine-based disinfection is used by water companies to kill diseasecausing bacteria before water enters your home. Depending on your location and time of year, disinfection methods and chlorine levels in water systems can vary without notification. CPVC is corrosion resistant.

Fitting (Change of flow only)

A RPZ, PRV or check valve is designed to control and guide the flow of water. Examples include faucets, shower heads, shutoff valves, shower valves, and drinking fountain spouts. Some people call these "fixtures," but that term means something different to the plumbing industry. See definition for fixtures.

Fixture

A fixture is a plumbing device that provides water and/or disposal. Common fixtures in plumbing are toilets, basins, tubs, sinks and showers.

Flow Rate

The amount of water that flows through a plumbing system; measured in either gallons per minute (GPM) or per hour (GPH).

Gray

Typically, this is water that comes from a sink, tub, shower, dishwasher or washing machine. It is contaminated with soap, grease and other impurities.

Gallons per Flush (GPF)

Measurement of water needed to flush; used to regulate toilets and flush valves; 1.6 GPF is the current legal maximum permitted for new toilets.

Hose bib

A hose bib is a common outdoor faucet, usually attached to the siding of a house. Hose bibs are also known as sillcocks. You commonly attached a garden hose to a hose bib.

I.D.

This term refers to the inside diameter of a pipe or tube. In some instances, it is important to know this specification.

Copper

In plumbing, copper refers to copper tubing which is arguably the best method of water supply in a house or industrial environment. Copper tubing or pipes can last up to 70 years and beyond.

Copper is harder to install than CPVC, PVC and PEX. The tubes are "sweated together" by heating and applying a lead-free solder compound. Once properly sweated together, copper fittings are metallically bonded tight and will not leak.

Copper is more expensive than other piping methods, but is considered the best choice for long-term value.



O.D.

This term refers to the outside diameter of a pipe or tube. In some instances, it is important to know this specification. Tubing cutters and many other plumbing tools usually refer to their capacity in O.D.

PEX

PEX is a flexible plastic material manufactured from mediumor high-density polyethylene. PEX piping has been used in hotand cold-water distribution systems and for hydronic radiant heating in Europe for many years. More recently, it was introduced into the U.S. in the 1980s.

PEX is the most widely used flexible piping for plumbing and radiant floor heating applications. Due to its bendable characteristics, it's often a popular choice for remodels because it can be easily snaked through the walls. PEX tubing is recognized as acceptable for water distribution piping in all major model plumbing codes.

PEX tubing and fixtures are joined together by crimping, clamping or using a proprietary system such as SharkBite®* connectors. Whatever method you use, great care should be taken to ensure a proper tight fitting "joint" is created.

Potable water

Water that is safe for drinking, culinary and domestic purposes.

PVC

PVC pipes are sturdy plastic pipes made from a material named Polyvinyl Chloride. The main ingredients in PVC are natural gas and salt. PVC pipes can be used for water, drainage, waste and vent systems. It is easily cut and cemented together, giving it an advantage over other plumbing pipes such as copper and galvanized pipe.

Schedule 40

A pipe schedule (SCH) is a measure of a steel pipe's nominal wall thickness based on its I.D. and O.D.

In the past, metal fabricators used three pipe dimensions — standard, extra strong, and double extra strong.

Just having these three undetermined dimensions didn't provide enough information. Today, steel pipes come in 14 different schedules.

Schedule 40 pipe is the most commonly used pipe schedule and is usually (but not always) galvanized and is manufactured from mild steel.

Snake

Thin, flexible cord of spiral-wound metal that fits down a drain and is rotated to dislodge clogs. Snakes may be hand rotated, fed by a hand drill or fed out of a power driven spiral cage.

Trap

A curved portion of plumbing designed to hold a minimum of 2" of water or fluid to block, or seal, the section of pipe from gases, odors, and pests. One of the most common traps is the P-trap found under kitchen sinks.

Water Closet

Another term for a toilet. If you look, you'll see WC imprinted on most toilets



SharkBite® is the intellectual property of Reliance Worldwide Corporation



PART NUMBER INDEX

2725 31	3990 31	35236 4, 6, 33
2750 31	450024	35238 7, 33
2802 7, 15, 33	4814 14	35275 6, 33
2808 14	4818 14	36000 5, 33
2810	4824 14	36878 8, 15, 33
2814	5212 16	3711011
2816	5234 16	3711511
281814	5238 16	3711611
2824 14	5245 26	3711811
283614	5250 26	37210 13, 35
2848	5255 23, 24	37513
3705 27	5265 30	37516
3710 21	5270 27	37613 12, 34
3755	6011 16	37700 12, 34
3765 22	6012 16	37701 12, 34
3811	6020 25	37730 12
3812 20	7100 13	42135 5, 33
3819 30	17515 8	42215 7, 15, 33
3825 19, 20	18610 9	42348 8, 15, 33
3840 21	18850 9, 34	42424 9, 34
3845 21	18912 10	42525 5, 33
3850 22	18934 10	42526 5, 6, 33
3860 22	21015 29, 30	4277311, 35
3875 18	2610028	42774 11, 35
3876 17, 18	35012 5, 33	42777
3890 25	35025 5, 33	42835 5, 6, 7, 33
3914 26	35030 5, 33	47520 13, 35
3915 26	35034 5, 33	61600 9
3930 24	35078 5, 33	66575 8
3932 27	35112 6, 33	9964310
3943	35180 5, 33	
3960 28	35219 7, 33	



Superior Tool® - A division of C.H. Hanson Company®, an Illinois corporation

Limited Lifetime Warranty

Superior Tool® warrants this product will be free from defects in material or workmanship and fit for the purpose intended. This warranty does not cover (a) defects in or damages to the product from (i) misuse, abuse, normal wear and tear, (ii) failure to properly maintain the product, (iii) the product having been heated, ground or otherwise altered, or used for a purpose other than that for which it was intended, (b) expendable and/or parts of the product that deteriorate by normal use (for example cutter wheels, blades, pipe wrench jaws), (c) damages to the product from alteration or abuse of the product or its use other than for its intended purpose, or (d) damages to the product caused by packing or freight.

This warranty is conditioned upon Purchaser (a) maintaining the product at all times and (b) seeing that those using the product are familiar with the product, the written materials delivered with the product regarding its use and maintenance (for example warnings, cautions and instructions). Failure to abide by and fulfill the content of these written directions voids this warranty.

Superior Tool's liability is limited to the repair or replacement, at its option, of any product covered by this Warranty. This warranty is the purchaser's exclusive remedy against Superior Tool for any totally or partially inoperable product. Under no circumstances is Superior Tool liable for any direct, incidental, special, or consequential damages, such as lost profits or damages to third parties resulting from the use or inability to use the product covered by this Warranty.

Please call Superior Tool® at 800-827-3398 with any questions or claims.

Since Superior Tool is a brand of C.H. Hanson, all support is handled by qualified C.H. Hanson sales representatives. Invoicing, emails and communications are also from C.H. Hanson.

NOTES		



NOTES

True industrial quality tools for all your plumbing needs

MAKE IT HAPPEN™



Pick up one of Superior Tool's many great products and feel the weight and quality. You can rest assured it's going to be what you need for the job. And you can rely on its durability - all Superior Tool products feature a lifetime guarantee.

Whether you're a professional, first-time plumber, or DIY enthusiast, using our tools gives you peace of mind your job will be finished perfectly.

We inspect each of our products to ensure the highest level of quality and craftsmanship. So go ahead, dive in, and tackle the toughest jobs quickly with confidence.

For quality, durability, and exceptional value you can trust, look to Superior Tool.

To learn more, please visit our website at: superiortool.com

connect with us









Superior Tool is a member of C.H. Hanson's family of exceptional brands.

All support for Superior Tool is handled by qualified C.H. Hanson sales representatives. Invoicing, emails and communications are also from C.H. Hanson.

